

ATTACHMENTS



Vermeer



**FULL-SIZE  
ATTACHMENTS**



# CONTENTS

## Full-Sized Attachments

Color Key.....	3
Buckets.....	4
Grapples.....	6
Trenchers.....	8
Forks.....	9
Color Key.....	11



# COLOR KEY

 **COMPATIBLE**     **COMPATIBLE BUT NOT RECOMMENDED**     **NOT AUTHORIZED**

**COMPATIBLE:** The attachment is compatible with the associated base unit. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.

**COMPATIBLE BUT NOT RECOMMENDED:** The attachment is technically compatible but not recommended for combined use with the associated base unit. Functionality, reliability or performance may be limited; damage to or excess wear and tear on the attachment or base unit is possible. Note that use of attachments that are not recommended by Vermeer and that (in the sole judgment of Vermeer) amounts to abnormal use, misuse or negligence will void the Vermeer Limited Warranty for both the Vermeer base unit and Vermeer attachment. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.

**NOT AUTHORIZED:** The attachment is not authorized for use with the associated base unit. Combined use may be technically infeasible or pose unacceptable risk of harm to property or persons. Never operate these attachments and base units in combination. Note that use of these attachments, in addition to being unsafe, will void the Vermeer Limited Warranty for both the Vermeer base unit and Vermeer attachment. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.



# BUCKETS

## SPECIFICATIONS

### UTILITY BUCKETS

Price Book	Description	Industry Part Number	Inside Dim.	Outside Dim.	Height	Depth	Weight
FSA1000	BERLON UTILITY BUCKET – 48 in	UT – 48	48 in (120 cm)	49.5 in (126 cm)	21 in (53 cm)	33 in (84 cm)	353 lb (160 kg)
FSA1005	BERLON UTILITY BUCKET – 54 in	UT – 54	54 in (140 cm)	55.5 in (141 cm)	21 in (53 cm)	33 in (84 cm)	385 lb (175 kg)
FSA1010	BERLON UTILITY BUCKET – 60 in	UT – 60	60 in (153 cm)	61.5 in (156 cm)	21 in (53 cm)	33 in (84 cm)	406 lb (184 kg)
FSA1015	BERLON UTILITY BUCKET – 66 in	UT – 66	66 in (170 cm)	67.5 in (171 cm)	21 in (53 cm)	33 in (84 cm)	431 lb (195 kg)

### TOOTH BUCKETS

Price Book	Description	Industry Part Number	Inside Dim.	Outside Dim.	Height	Depth	Weight	Heaped Capacity
FSA1020	BERLON HD TOOTH BUCKET – 48 in WIDE	UT-48WET2	48 in (120 cm)	49.5 in (126 cm)	21 in (53 cm)	33 in (84 cm)	360 lb (160 kg)	12.8 ft <sup>3</sup> (.362 m <sup>3</sup> )
FSA1025	BERLON HD TOOTH BUCKET – 54 in WIDE	UT-54WET2	54 in (140 cm)	55.5 in (141 cm)	21 in (53 cm)	33 in (84 cm)	400 lb (181 kg)	14.4 ft <sup>3</sup> (.408 m <sup>3</sup> )
FSA1030	BERLON HD TOOTH BUCKET – 60 in WIDE	UT-60WET2	60 in (153 cm)	61.5 in (156 cm)	21 in (53 cm)	33 in (84 cm)	426 lb (193 kg)	16 ft <sup>3</sup> (.453 m <sup>3</sup> )
FSA1035	BERLON HD TOOTH BUCKET – 66 in WIDE	UT-66WET2	66 in (170 cm)	67.5 in (171 cm)	21 in (53 cm)	33 in (84 cm)	451 lb (205 kg)	17.6 ft <sup>3</sup> (.498 m <sup>3</sup> )



# BUCKETS

## SPECIFICATIONS AND ATTACHMENT COMPATIBILITY

### HIGH VOLUME BUCKETS

Price Book	Description	Industry Part Number	Inside Dim.	Outside Dim.	Height	Depth	Weight	Heaped Capacity
FSA1040	BERLON HIGH VOLUME BUCKET – 60 in	HVMB-60	60 in (153 cm)	61.5 in (156 cm)	29 in (74 cm)	39 in (99 cm)	510 lb (230 kg)	27.5 ft <sup>3</sup> (.779 m <sup>3</sup> )
FSA1045	BERLON HIGH VOLUME BUCKET – 66 in	HVMB-66	66 in (170 cm)	67.5 in (171 cm)	29 in (74 cm)	39 in (99 cm)	553 lb (251 kg)	30.2 ft <sup>3</sup> (.885 m <sup>3</sup> )
FSA1050	BERLON HIGH VOLUME BUCKET – 72 in	HVMB-72	72 in (180 cm)	73.5 in (187 cm)	29 in (74 cm)	39 in (99 cm)	573 lb (260 kg)	33.1 ft <sup>3</sup> (.937 m <sup>3</sup> )

### BUCKETS – COMPACT ARTICULATED LOADERS

	ATX960
FSA1000	X
FSA1005	X
FSA1010	X
FSA1015	X
FSA1020	X
FSA1025	X
FSA1030	X
FSA1035	X
FSA1040	X
FSA1045	X
FSA1050	X

■ COMPATIBLE    
 ■ COMPATIBLE BUT NOT RECOMMENDED    
 ■ NOT AUTHORIZED

The information and specifications set forth herein are for informative purposes only. Vermeer makes no warranties herein and Vermeer explicitly disclaims any express, implied or statutory warranty including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Please see the Color Key at the beginning or end of this brochure for more information about attachment use and compatibility.



# GRAPPLES

## SPECIFICATIONS

GRAPPLES						
Price Book	Description	Industry Part Number	Weight	Claw Opening	Max Capacity	Hydraulic Cylinder
FSA1420	BERLON FORESTRY CLAW – 60 in	BFC	261 lb (118 kg)	60 in (153 cm)	2,000 lb (900 kg)	2,500 psi (17 MPa)
FSA1425	BERLON LIGHTDUTY GRAPPLE – 54 in SINGLE CLAW	LDGR54	491 lb (223 kg)	41 in (100 cm)	2,000 lb (900 kg)	2,500 psi (17 MPa)
FSA1430	BERLON LIGHTDUTY GRAPPLE – 60 in SINGLE CLAW	LDGR-60	524 lb (238 kg)	41 in (100 cm)	2,000 lb (900 kg)	2,500 psi (17 MPa)
FSA1435	BERLON LIGHTDUTY GRAPPLE – 66 in SINGLE CLAW	LDGR-66	557 lb (253 kg)	41 in (100 cm)	2,000 lb (900 kg)	2,500 psi (17 MPa)
FSA1440	BERLON LIGHTDUTY GRAPPLE – 66 in DUAL CLAW	MDGR-66	735 lb (333 kg)	41 in (100 cm)	2,500 lb (1,100 kg)	2,500 psi (17 MPa)
FSA1445	BERLON LIGHTDUTY GRAPPLE – 72 in DUAL CLAW	MDGR-72	770 lb (350 kg)	41 in (100 cm)	2,500 lb (1,100 kg)	2,500 psi (17 MPa)
FSA1405	VERMEER FSLG54 – SWIVEL LOG GRAPPLE	NA	680 lb (310 kg)	54 in (140 cm)	2,700 lb (1,200 kg)	3,100 psi (21 MPa)
FSA1410	VERMEER FRLG54 – HYD ROTATING LOG GRAPPLE	NA	750 lb (340 kg)	54 in (140 cm)	2,700 lb (1,200 kg)	3,100 psi (21 MPa)



# GRAPPLES

## ATTACHMENT COMPATIBILITY

GRAPPLES – COMPACT ARTICULATED LOADERS	
	ATX960
FSA1420	X
FSA1425	X
FSA1430	X
FSA1435	X
FSA1440	X
FSA1445	X
FSA1405	X
FSA1410	X

COMPATIBLE     COMPATIBLE BUT NOT RECOMMENDED     NOT AUTHORIZED

The information and specifications set forth herein are for informative purposes only. Vermeer makes no warranties herein and Vermeer explicitly disclaims any express, implied or statutory warranty including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Please see the Color Key at the beginning or end of this brochure for more information about attachment use and compatibility.



# TRENCHERS

## SPECIFICATIONS AND ATTACHMENT COMPATIBILITY

TRENCHERS							
Price Book	Description	Industry Part Number	Max Weight	Max Trench Depth	Max Trench Width	Max Flow	Max Pressures
FSA1455	VERMEER TRENCHER ATTACHMENT – FTR48	NA	700 lb (300 kg)	48 in (120 cm)	8 in (20 cm)	25 gpm (95 L/min)	3,100 psi (21 MPa)

TRENCHERS – ARTICULATED LOADERS	
	ATX960
FSA1455	X

X COMPATIBLE    
 ◻ COMPATIBLE BUT NOT RECOMMENDED    
 ◻ NOT AUTHORIZED

The information and specifications set forth herein are for informative purposes only. Vermeer makes no warranties herein and Vermeer explicitly disclaims any express, implied or statutory warranty including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Please see the Color Key at the beginning or end of this brochure for more information about attachment use and compatibility.





# FORKS

## SPECIFICATIONS

### PALLET FORKS (RAIL STYLE)

Price Book	Description	Industry Part Number	Weight	Fork Length	Rated Capacity
FSA1500	BERLON CLASS II PALLET FORKS – RAIL STYLE 48 in	BPFF-48-2	415 lb (188 kg)	48 in (120 cm)	4,000 lb (2,000 kg)
FSA1505	BERLON CLASS II PALLET FORKS – RAIL STYLE 54 in	BPFF-54	434 lb (197 kg)	54 in (140 cm)	5,500 lb (2,500 kg)

### SQUARE BALE SPEAR

Price Book	Description	Industry Part Number	Weight	Width	Height	Bottom Tines (quantity)
FSA1700	BERLON SQUARE BALE SPEAR – 52 in WIDE	BSC-3324	182 lb (82.6 kg)	52 in (130 cm)	39 in (99 cm)	3

### MANURE FORKS

Price Book	Description	Industry Part Number	Weight	Width	Replaceable Tines (quantity)
FSA1710	BERLON MANURE FORK – 54 in WIDE	MTMF-54	329 lb (149 kg)	54 in (140 cm)	9
FSA1715	BERLON MANURE FORK – 60 in WIDE	MTMF-60	362 lb (164 kg)	60 in (153 cm)	10



# FORKS

## ATTACHMENT COMPATIBILITY

### PALLET FORKS (RAIL STYLE) – COMPACT ARTICULATED LOADERS

	ATX960
FSA1500	X
FSA1505	X

### SQUARE BALE SPEAR – COMPACT ARTICULATED LOADERS

FSA1700	X
---------	---

### MANURE FORKS – COMPACT ARTICULATED LOADERS

FSA1710	X
FSA1715	X

COMPATIBLE     COMPATIBLE BUT NOT RECOMMENDED     NOT AUTHORIZED

The information and specifications set forth herein are for informative purposes only. Vermeer makes no warranties herein and Vermeer explicitly disclaims any express, implied or statutory warranty including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Please see the Color Key at the beginning or end of this brochure for more information about attachment use and compatibility.



# COLOR KEY

 **COMPATIBLE**     **COMPATIBLE BUT NOT RECOMMENDED**     **NOT AUTHORIZED**

**COMPATIBLE:** The attachment is compatible with the associated base unit. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.

**COMPATIBLE BUT NOT RECOMMENDED:** The attachment is technically compatible but not recommended for combined use with the associated base unit. Functionality, reliability or performance may be limited; damage to or excess wear and tear on the attachment or base unit is possible. Note that use of attachments that are not recommended by Vermeer and that (in the sole judgment of Vermeer) amounts to abnormal use, misuse or negligence will void the Vermeer Limited Warranty for both the Vermeer base unit and Vermeer attachment. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.

**NOT AUTHORIZED:** The attachment is not authorized for use with the associated base unit. Combined use may be technically infeasible or pose unacceptable risk of harm to property or persons. Never operate these attachments and base units in combination. Note that use of these attachments, in addition to being unsafe, will void the Vermeer Limited Warranty for both the Vermeer base unit and Vermeer attachment. Consult your operator's manual or Vermeer dealer for additional information about attachment compatibility.

**Vermeer Corporation**  
1210 Vermeer Road East  
Pella, Iowa 50219  
800-370-3659

[vermeer.com](http://vermeer.com)

Vermeer Corporation and MultiOne SRL Corporation reserve the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation.

Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Mini skid steer attachments available from Vermeer dealers may be manufactured by Vermeer Corporation or other attachment manufacturers. Please contact your local Vermeer dealer for more information on machine specifications and attachments.

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. All other trademarks, registered trademarks and service marks are the property of their respective owners.

© 2023 Vermeer Corporation. All Rights Reserved.



# ***ATTACHMENTS***