

# MOW LIKE YOU MEAN IT.



The Vermeer TM1210 and TM1410 trailed mowers mean business. With cutting widths up to 17.8 ft (5.4 m) and 20.8 ft (6.3 m), 10-series trailed mowers are ideal for operators who want to cut more hay in less time and want convenient features to reduce the stress of operating, transporting and maintaining a large trailed mower. Features like the Q3® cutter bar, 2-point Quick Hitch hookup, a nitrogen-charged accumulator suspension system and the patented Quick-Clip® blade retention system that reduces the process of blade replacement to mere seconds. Big-time productivity, big-time convenience and a narrow 9 ft (2.7 m) transport width. It's what makes a 10-series a 10.



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer, the Vermeer logo, Q3 and Quick-Clip are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

# MOW LIKE YOU MEAN IT.



The Vermeer TM1210 and TM1410 trailed mowers mean business. With cutting widths up to 17.8 ft (5.4 m) and 20.8 ft (6.3 m), 10-series trailed mowers are ideal for operators who want to cut more hay in less time and want convenient features to reduce the stress of operating, transporting and maintaining a large trailed mower. Features like the Q3<sup>®</sup> cutter bar, 2-point Quick Hitch hookup, a nitrogen-charged accumulator suspension system and the patented Quick-Clip<sup>®</sup> blade retention system that reduces the process of blade replacement to mere seconds. Big-time productivity, big-time convenience and a narrow 9 ft (2.7 m) transport width. It's what makes a 10-series a 10.

**Vermeer**<sup>®</sup>



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer, the Vermeer logo, Q3 and Quick-Clip are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

Vermeer Newsroom Vertical Multiple Dealer List Ad Fixed Depth  
(Example shown is 7.5" wide x 10.25" tall at 70% scale)

**SIMPLE PROCESS.**  
**TOUGH**  
**PROCESSOR.**

Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

**Vermeer**

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

<b>DEALERSHIP 1</b> Street Address 123-456-7890	<b>DEALERSHIP 2</b> Street Address 123-456-7890	<b>DEALERSHIP 3</b> Street Address 123-456-7890	<b>DEALERSHIP 4</b> Street Address 123-456-7890	<b>DEALERSHIP 5</b> Street Address 123-456-7890
<b>DEALERSHIP 6</b> Street Address 123-456-7890	<b>DEALERSHIP 7</b> Street Address 123-456-7890	<b>DEALERSHIP 8</b> Street Address 123-456-7890	<b>DEALERSHIP 9</b> Street Address 123-456-7890	<b>DEALERSHIP 10</b> Street Address 123-456-7890

Location listing title to be reversed white in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

Address and phone to be reversed white, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt



# SIMPLE PROCESS. TOUGH PROCESSOR.

Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?



Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

**DEALERSHIP 1**  
Street Address  
123-456-7890

**DEALERSHIP 2**  
Street Address  
123-456-7890

**DEALERSHIP 3**  
Street Address  
123-456-7890

**DEALERSHIP 4**  
Street Address  
123-456-7890

**DEALERSHIP 5**  
Street Address  
123-456-7890

**DEALERSHIP 6**  
Street Address  
123-456-7890

**DEALERSHIP 7**  
Street Address  
123-456-7890

**DEALERSHIP 8**  
Street Address  
123-456-7890

**DEALERSHIP 8**  
Street Address  
123-456-7890


**DEALERSHIP 10**  
Street Address  
123-456-7890

Location listing title to be 80% black in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed


Minimum font size should not be smaller than 5.5pt

Minimum font size should not be smaller than 5.5pt



**SIMPLE PROCESS.**  
**TOUGH**  
**PROCESSOR.**

Meet your new herd-feeding workhorse. The BX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

**Vermeer**  


**DEALER**  
**LOGO HERE**

Address or additional info  
123-456-7890

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

1 color reversed white dealer logo

If there is no logo, typeset dealer name to be reversed white set in Helvetica Neue LT Std 77 Bold Condensed

Font size should not be smaller than 15pt

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 12pt

Dividing pipe stroke to be 1pt reversed white

Length dependent on logo size or typeset dealer name