MORE THAN A SI

The all-new Vermeer 504R Premium baler is fully loaded and comes standard with a silage kit specially designed for high output of high-moisture crops. More than a silage special, this baler is equipped with heavy-duty components, premium belts, a 5-bar camless pickup and the Atlas" control system. Giving you full control to help handle more capacity in heavy crops, the 504R Premium baler will help you produce good-looking bales in tough conditions. Plus, a Vermeer 3-year pickup warranty* helps provide peace of mind for silage seasons to come. Silage or not, this is a first-class baler.

Vermeer

504R PREMIL



2002 JOHN DEERE 956 Mower Conditioner\$7.900

Street Address, City Zip, 123-456-7890

WWW.WEBSITE.COM



DEALER LOGO HERE

2001 VERMEER BP7000 Bale Processor.....\$10,500



and the second second

2000 VERMEER BP7000 Bale Processor.....\$13.000



2002 VERMEER WR22 Tedder\$2,700



VERMEER R-23 TWIN RAKE Hav Rake\$5.950



2000 JOHN DEERE 702 Tedder



MORE THAN A SILAGE SPECIAL.



DEALER LOGO HERE



2001 VERMEER BP7000 Bale Processor.....\$10,500



2002 VERMEER WR22 Tedder\$2,700



Street Address, City Zip, 123-456-7890

2000 VERMEER BP7000 Bale Processor.....\$13,000



VERMEER R-23 TWIN RAKE Hay Rake\$5,950

The all-new Vermeer 504R Premium baler is fully loaded and comes standard with a slope kit specially designed, for high output of high-molsture crops. More than a slage special, this baler is equipped with heavy-duty components, permium beits, a 5-bar camles pickup and the Atla[®] control system. Giving you full control to help hande more capacity in heavy crops, the 504R Premium baler will help you produce good-looking bales in tough conditions. Plus, a Vermeer 3-year pickup varanty[®] helps provide pace of mind for slage assons to come. Slage or ndt, this a first-dasa bales to the standard balance of the standard balance standard balance standard balance at the standard balance standard balan



3-pair page entroning count informat endpotents and index (also closes of index) and a transmiss from the state transmiss from the state interview of endpotent index (also closes) and index (also cl

Vermeer





2002 JOHN DEERE 956 Mower Conditioner\$7,900



2000 JOHN DEERE 702 Tedder\$2,500 Vermeer Newsroom Horizontal Multiple Dealer List Ad Fixed Depth (Example shown is 6.75" wide x 4.75" tall at 100% scale)



Location listing title to be reversed white in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

Address and phone to be reversed white, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt

Vermeer Newsroom Horizontal Multiple Dealer List Ad Variable Depth (Example shown is 6.75" wide x 4.75" tall at 100% scale)



Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

DEALERSHIP 1 Street Address 123-456-7890

DEALERSHIP 6 Street Address 123-456-7890 DEALERSHIP 2 Street Address 123-456-7890

DEALERSHIP 7 Street Address 123-456-7890 DEALERSHIP 8 Street Address 123-456-7890

DEALERSHIP 3

Street Address

123-456-7890

Location listing title to be 80% black in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

DEALERSHIP 4 Street Address 123-456-7890

> DEALERSHIP 8 Street Address 123-456-7890

DEALERSHIP 5 Street Address 123-456-7890

DEALERSHIP 10 Street Address 123-456-7890

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt

Vermeer Newsroom Horizontal Single Dealer Listing Ad (Example shown is 6.75" wide x 4.75" tall at 100% scale)



Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

Address or additional info 123-456-7890

and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights R

1 color reversed white dealer logo

DEALER LOGO HERE

If there is no logo, typeset dealer name to be reversed white set in Helvetica Neue LT Std 77 Bold Condensed

Font size should not be smaller than 13pt

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 10pt

Dividing pipe stroke to be 1pt reversed white

Length dependent on logo size or typeset dealer name